





.mdd

**Office booths**

v1 / 01.01.2023

Office booths	2
Hako	11
Hana	14

## Colour combination - Office booths



Material	Colour	Hako			Hana										
		A - Walls - outside	B - Walls - inside	C - Frame	D - Walls - top	E - Walls - bottom	F - Floor	G - Seat							
Fabric	Mica	✓	✓		✓	✓		✓							
	Medley	✓	✓		✓	✓		✓							
	Go Check	✓	✓		✓	✓		✓							
	****Charles	✓	✓		✓	✓		✓							
	Synergy	III group	III group		III group	III group		III group							
	***Silvertex	III group	III group		III group	III group		III group							
	Oceanic	III group	III group		III group	III group		III group							
	Quest	III group	III group		III group	III group		III group							
	Grain	III group	III group		III group	III group		III group							
	*Customer's own fabric	III group	III group		III group	III group		III group							
	Atlas	IV group	IV group		IV group	IV group		IV group							
Metal	M010 - light grey semi-matt RAL 7044			✓											
	M014 - red semi-matt RAL 3016			✓											
	M154 - anthracite semi-matt RAL 7043			✓											


\* Employing the customer's fabric requires running upholstery tests in order to check the possibility of realisation.

\*\*\* There is a possibility of ordering the product in full colour spectrum of Silvertex range, as per Spradling's pattern book, within 15 working days.

\*\*\*\* There is a possibility of ordering the product in full colour spectrum of Charles range, as per Dekoma pattern book, within the standard delivery time.

## Technical specification


- 1 Ceiling** - upholstered, equipped with lighting and exhaust fans
- 2 Upholstered wall** - full, 75 mm thick, upholstered on both sides, acoustic filling with sound isolation properties
- 3 Columns** - 75x75 mm, powder coated
- 4 Shelf** - 12 mm MDF, colour: black, can be mounted only to upholstered walls with 1000mm width.
- 5 Aluminium strips** - 5 mm thick
- 6 Glass wall** - toughened glass, 6 mm thick
- 7 Glass door** - toughened glass, 8 mm thick, equipped with hinges, handle with a lock and gaskets system improving the acoustic properties of the booth
- 8 Floor** - melamine plate + acoustic covering ( 21mm thickness), colour: graphite - option with additional fee
- 9 Fans:**
  - in - take (near the floor) - can be turned on and off, with adjustable fan speed. The exact location can be found on the shop drawings.
  - exhaust - integrated with the ceiling lamp




Attention! In standard the booth has no floor.

## Configuration examples

### HK01







### HK021





## Configuration examples

## HK03



## Dimensions (mm)

## Mediabox location


### 1 Mediabox - 2x230V + 1xUSB + 1xUSB type C


**A** - on the left wall near the floor


**B** - on the right wall near the floor


**C** - on the shorter wall above 740mm height

#### Legend:

 in - take fans (near the floor) can be turned on and off, with adjustable fan speed. - Attention! It is suggested not to block fans to ensure the proper airflow rate

 motion sensor (activates the exhaust fans and lighting)



 wireless light switch - which can be situated in any place

 left / right door option


 sliding door

 exhaust fans are integrated with the ceiling lamp


### HK01





### A, B



### C





### HK021





# Dimensions (mm)



HK04



HK03






HK08







## Dimensions (mm)

### Legend:




-  in - take fans (near the floor) can be turned on and off, with adjustable fan speed. - Attention! It is suggested not to block fans to ensure the proper airflow rate
-  wireless light switch - which can be situated in any place
-  exhaust fans are integrated with the ceiling lamp

### HK06













## Dimensions (mm)

### Legend:


-  in - take fans (near the floor) can be turned on and off, with adjustable fan speed. - Attention! It is suggested not to block fans to ensure the proper airflow rate
-  motion sensor (activates the exhaust fans and lighting)
-  wireless light switch - which can be situated in any place exhaust fans are integrated with the ceiling lamp

### HK07



Hako							
	Symbol	Price EUR	Dimensions			kg m3 pcs	Comments
			Width	Depth	Height		
	HK01	6660,-	1150	1400	2341	399.7 kg 3.358 m3 2 pcs	accommodates: 1 person, 2 upholstered walls; Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK021	11200,-	2225	1400	2341	534.66 kg 3.414 m3 2 pcs	accommodates: 2 - 4 people, 3 upholstered walls; Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK03	15700,-	2762	2725	2341	942.3 kg 6.893 m3 4 pcs	accommodates: 4 - 6 people; Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK04	9490,-	2225	1400	2341	442 kg 3.306 m3 1 pcs	accommodates: 2 - 4 people, 2 upholstered walls; Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK08	12600,-	2347	1400	2283	533 kg 3.421 m3 2 pcs	accommodates: 2 - 4 people, 3 upholstered walls; frosted stripes on front walls of sliding door; Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK05	18900,-	2225	2725	2341	995.06 kg 6.826 m3 4 pcs	Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK06	26500,-	4913	2225	2341	1572 kg 10.319 m3 7 pcs	Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)
	HK07	23800,-	3838	2725	2341	1437.4 kg 10.304 m3 6 pcs	Attention: large size of the elements – compare the size of the passageways at the location of the assembly with the size of the elements of the booth (see the technical description in the pricelist)

Extra charge							
III Price group	Floor	Mediabox x1	Mediabox x2	Mediabox x3	IV price group		
370,-	364,-	396,-	792,-		655,-		
590,-	680,-	396,-	792,-	1188,-	990,-		
695,-	1755,-				1200,-		
410,-	680,-	396,-	792,-		715,-		
590,-	680,-	396,-	792,-	1188,-	990,-		
990,-	1360,-				1685,-		
1200,-	2740,-				2000,-		
925,-	2420,-				1620,-		

Shelf							
	Symbol	Price EUR	Dimensions			kg m3 pcs	Comments
			Width	Depth	Height		
	HK1P	212,-	980	250	156	8 kg 0.048 m3 1 pcs	

Extra charge							



## Technical specification

## Dimensions (mm)

### 1 Top panel:

- outside - MDF 28 mm, upholstered, colour: LDS27 - black
- inside - chipboard 12 mm upholstered, colour: LDS27 - black, two-point lighting; exhaust fans activated by a motion detector(adjustable ventilation speed) ; ventilation grate in the floor

### 2 Body - 58 mm, upholstered walls with acoustic filling

### 3 Shelf - MDF board 28 mm, lacquered, measurements: 1070x388x28x28 mm, colour: black

### 4 Mediabox - 2x230V + 1xUSB + 1xUSB type C



### 5 Rotary knob - powder coated steel, colour: black

### 6 Door - toughened glass 8 mm, clear, right

### 7 Bottom rim:

- outside - MDF 28 mm, upholstered, colour: LDS27 - black
- inside - chipboard 18 mm, carpet, colour: graphite

### 8 Electric hook - up



## Stool

## Dimensions (mm)






### 1 Seat - upholstered, filled with 60 mm thick foam

### 2 Body - chipboard frame

### 3 Plant pot - plastic, depth 470 mm

### 4 Feet - plastic, 3 units



### 5 Base - lacquered MDF, colour: black







## Cool - stool

## Dimensions (mm)

- 1 360° Seat** - polypropylene base, molded foam, density of 65 kg/m<sup>3</sup>, upholstered
- 2 Gas lift** - polypropylene cover
- 3 Base** - polypropylene, covered in non-slip rubber
- 4 Button** - allowing for height adjustment



\* wobble (left, right) +/- 20°


















Hana							
	Symbol	Price EUR	Dimensions			kg m3 pcs	Comments
			Width	Depth	Height		
	HN01	5580,-	1184	1092	2217	340 kg 2.685 m3 1 pcs	Mediabox - 2x230V + 1xUSB + 1xUSB type C
	HN02	1030,-	1180	1090	470	50 kg 0.65 m3 1 pcs	
	HN03	1335,-	1180	1090	470	47 kg 0.65 m3 1 pcs	
Cool - stool							
	CL01	284,-	370	250	760	5.7 kg 0.091 m3 1 pcs	seat; base - clour: black

Extra charge							
III Price group	IV price group						
530,-	905,-						
164,-	286,-						
164,-	286,-						














## Metal

		
M010 - light grey semi-matt RAL 7044	M014 - red semi-matt RAL 3016	M154 - anthracite semi-matt RAL 7043















## Fabric Mica - second price group

							
MC-01 - pink	MC-02 - red	MC-03 - dark red	MC-04 - navy blue	MC-05 - blue	MC-06 - aquamarine	MC-07 - bottle green	MC-08 - green
							
MC-09 - olive	MC-10 - light olive	MC-11 - mustard	MC-12 - yellow	MC-13 - beige	MC-14 - light grey	MC-15 - grey	MC-16 - graphite
							
MC-17 - light blue	MC-18 - mint	MC-19 - burgundy					


## Fabric Medley - second price group

							
M-66008 - grey	M-60003 - light grey	M-61189 - beige	M-68005 - dark olive	M-62002 - yellow	M-62054 - mustard	M-63017 - rust-brown	M-64019 - red
							
M-63064 - pink	M-65011 - grey-violet	M-66010 - blue	M-67006 - light blue	M-60999 - black			

## Fabric Go check - second price group

							
G-66136 - blue	G-66137 - dark blue	G-66134 - dark violet	G-66138 - navy blue	G-66140 - inky	G-68149 - dark green	G-68152 - green	G-60079 - grey
							
G-64183 - marsala	G-63079 - orange	G-64171 - red	G-64172 - burgundy	G-61144 - brown	G-61145 - dark brown		











**Fabric Charles - second price group ( There is a possibility of ordering the product in full colour spectrum of Charles range, as per Dekoma pattern book, within the standard delivery time. )**

 C-01 - black	 C-05 - grey	 C-06 - beige	 C-14 - brown	 C-18 - rust-brown	 C-21 - red	 C-30 - pink	 C-31 - marsala
 C-32 - dark blue	 C-35 - blue	 C-41 - yellow	 C-44 - olive	 C-45 - green			

**Fabric Synergy - third price group**











 LDS08 - grey melange	 LDS20 - light grey	 LDS27 - black	 LDS29 - dark grey	 LDS50 - dark green	 LDS53 - green	 LDS57 - turquoise	 LDS60 - bottle green
 LDS61 - plum	 LDS69 - navy blue	 LDS84 - orange	 LDS86 - red	 LDS88 - aubergine	 LDS85 - coral	 LDS19 - beige	 LDS44 - yellow
 LDS79 - brown							











**Fabric Oceanic - third price group**











 O-16 - pink	 O-05 - coral	 O-12 - red	 O-07 - yellow	 O-04 - light green	 O-15 - light blue	 O-11 - blue	 O-13 - light grey
 O-08 - dark grey	 O-01 - black						

**Fabric Silvertex - third price group - There is a possibility of ordering the product in full colour spectrum of Silvertex range, as per Spradling's pattern book, within 15 working days.**



Fabric Quest - third price group							
							
Q-26 - pink	Q-25 - orange	Q-24 - red	Q-21 - pastel yellow	Q-19 - beige	Q-18 - olive	Q-13 - light green	Q-08 - navy blue
							
Q-07 - light blue	Q-04 - graphite						

Fabric Grain - third price group							
							
GR-64249 - pink	GR-62122 - yellow	GR-62016 - light orange	GR-63117 - orange	GR-68243 - olive	GR-66236 - sky-blue	GR-66232 - navy blue	GR-60301 - grey
							
GR-61252 - beige	GR-61250 - white						

Fabric Atlas - fourth price group							
							
AS-531 - orange	AS-501 - pink	AS-651 - red	AS-681 - burgundy	AS-391 - brown	AS-781 - navy blue	AS-161 - dark grey	AS-111 - light grey
							
AS-971 - light green	AS-981 - dark green						

## Technical data

Price group	Fabric	Material	Weight	Abrasion resistance rubs	Pilling resistance	Colour fastness to light	Colour fastness to rubbing	Flammability	More information
<b>I</b>	<b>NEMO</b>	Polyester 100%	366g/m2	PN-EN ISO 12947 - 2:2 100,000	Scale 1-8, max 8, PN-EN ISO 105 B02:2013 3-4	Scale 1-5, max 5, PN-EN 1021 - 2:2007, PN-EN 1021 - 1:2007	Scale 1-5, max 5, EN ISO 105x12, (wet/dry) 4-5		
<b>II</b>	<b>RUNNER</b>	Polyester 100%	320g/m2, 510g/lm	70,000 Martindale, BS EN 14465, EN ISO 12947-2	Scale 1-5, max 5, EN ISO 12945-2 4-5	Scale 1-8, max 8, EN ISO 105-B02 5-7	Scale 1-5, max 5, EN ISO 105x12, (wet/dry) 4-5	BS EN 1021-2 Match, BS EN 1021-1 Cigarette, California Bulletin CAL 117-E-Class 1, CA TB 117-2013, Class Uno UNI 9175 Class 1	Acoustic test sound absorption ISO 354
<b>II</b>	<b>MEDLEY</b>	Polyester 100%	364g/m2, 510g/lm	75,000 Martindale	Scale 1-5, max 5, EN ISO 12945-2 4	Scale 1-8, max 8, EN ISO 105-B02 5-7	Scale 1-5, max 5, EN ISO 105x12, (wet/dry) 4-5/4-5	BS EN 1021-2 Match, BS EN 1021-1 Cigarette, California Bulletin CAL 117-E-Class 1, CA TB 117-2013, Class Uno UNI 9175 Class 1	Acoustic test sound absorption: ISO 354
<b>II</b>	<b>ATLANTIC</b>	Polyester 100%	353g/m2, 530g/lm	110,000 Martindale, EN ISO 12947-2)		Scale 1-8, max 8, EN ISO 105-B02 5-7	Scale 1-5, max 5, EN ISO 105x12, (wet/dry) 4-5/4-5	BS EN 1021-2 Match, BS EN 1021-1 Cigarette, ASTM E 84, BS 476 Part 7, Class Uno UNI 9175 Class 1, NF P 92-503 M3P, CA TB 117-2013	
<b>II</b>	<b>VITA</b>	Surface: PVC, 98.5%, PU 1.5% Substrate: Polyester 50%, 50% Cotton	850g/m2, 1190g/lm	100,000 Martindale, EN ISO 5470-2:2003,		Scale 1-8, max 8, EN ISO 105-B02 5-7	Scale 1-5, max 5, EN ISO 105x12, (wet/dry) 4-5/4-5	BS EN 1021-2 Match, BS EN 1021-1 Cigarette, BS 5852:2006 Section 4, Ignition Source 5, BS 7176:2017 Medium Hazard NF P 95 503 M2, FMVSS 302 (ISO 3795)	Flexing cycles: BS EN ISO 7854:1997 Method B, 400,000, Anti-microbial/ Anti-fungal: AATCC 147:2011
<b>II</b>	<b>CHARLES</b>	Polyester 100%	433g/m2	90,000 Martindale, EN ISO 12947-2	Scale 1-5, max 5, EN ISO 12945-2 5	EN ISO 105-B02 5	Scale 1-5, max 5, EN ISO 105x12, (wet/dry) 4-5	EN1021-2	Thread offset in the seam: EN ISO 13 936-2
<b>II</b>	<b>GO CHECK</b>	Trevira cs 100%	310g/m2	80,000 Martindale, EN ISO 12947-1,2 60,000 Double rubs wyzenbeek (ASTM D4157-07)	Scale 1-5, max 5, EN ISO 12945-2 5	Scale 1-8, max 8, EN ISO 105-B02 5-8	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4-5/4-5	BS EN 1021-1&2 Cigarette and Match, BS 5852:2006 Crib 5, BS 7176:2017 Medium Hazard, NFP 92-503/504/505 M1, Class Uno UNI 9175 Class 1	
<b>II</b>	<b>MICA</b>	97% post-consumer recycled polyester / 3% polyester	218g/m2	60,000 Martindale, EN ISO 12947-2 100,000 Double rubs wyzenbeek (ASTM D4157-07)	Scale 1-5, max 5, EN ISO 12945-2 4-5	Scale 1-8, max 8, EN ISO 105-B02 5-8	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4-5/4-5	BS EN 1021-1 Cigarette, BS EN 1021-2 Match, CA TB 117-2013, ASTM E 84 Class I, BS 476 Part 7 Class I	Acoustic test air flow resistanc EN 29053 & ISO 9053-1 (airflow resistance)

## Technical data

Price group	Fabric	Material	Weight	Abrasion resistance rubs	Pilling resistance	Colour fastness to light	Colour fastness to rubbing	Flammability	More information
III	<b>SYNERGY</b>	Virgin Wool 95%, Polyamide 5%	400g/m2 560g/lm	100,000 Martindale		ISO 105 B02: 5	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4/4	BS EN 1021-1&2 Cigarette and Match, BS 7176 Low Hazard, UNI 9175 Classe 1 IM, B 3825 & A 3800-1	
III	<b>TESSA</b>	Poliester 95%, Akryl 5%	500g/m2	>75,000 Martindale ISO 12 497-2	Scale 1-5, max 5, EN ISO 12945-2 4-5	ISO 105 B02: 4	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4-5/4-5		Thread offset in the seam: EN ISO 13 936-2
III	<b>OCEANIC</b>	100% post-consumer recycled polyester including 50% Seaqual Yarn	497g/m2	≥100,000 Martindale		5 (ISO 105 - B02), OOC16: 4/5 (ISO 105 - B02)	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4-5/4-5	BS EN 1021-1&2 Cigarette and Match, BS 7176 Low Hazard, BS 5852 Ignition Source 5 with EnviroFlam5, BS 7176 Medium Hazard with EnviroFlam5	
III	<b>QUEST</b>	100% post-consumer recycled polyester including 75% Seaqual Yarn	330g/m2	≥100,000 Martindale		4-6 (ISO 105 - B02)	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4/4	BS EN 1021-1&2 Cigarette and Match, BS 7176 Low Hazard, BS 5852 Ignition Source 5 with EnviroFlam5, BS 7176 Medium Hazard with EnviroFlam5, B 3825 & A 3800-1	
III	<b>GRAIN</b>	2287: 92% post-consumer recycled polyester / 8% polyester 2288: 80% post-consumer recycled polyester / 20% polyeste	439g/m2	100,000 Martindale (EN ISO 12947-2), double rubs wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 100,000	Scale 1-5, max 5, EN ISO 12945-2 5	scale 1-8, max. 8 5-7 (ISO 105 - B02)	Scale 1-5, max 5, EN ISO 105-X12:2001, (wet/dry) 4-5/4-5	BS EN 1021-1&2 Cigarette and Match, CA TB 117-2013	
IV	<b>ATLAS</b>	New wool 90% Nylon 10%	286g/m2 400g/lm	100,000 Martindale EN ISO 12947	EN ISO 12945-2 4-5	ISO 105 B02: 6-7	ISO 105-X12:2001, (wet/dry) 4-5/4-5	BS EN 1021-2 Match, BS EN 1021-1 Cigarette, BS 5 5852 Crib 5, BS 5852 ignition source 3, BS 5852 Part 1, NF D 60 013, UNI 9175 1IM, US Cal. Bull. 117-2013, MED. CertificateIMO	
IV	<b>LEATHER</b>	Leather type - corrected grain leather Type of finishing - pigmented leather		Dry: 500 cycles - min. 4 grey scale Wet: 250 cycles - min. 4 grey scale UNI EN ISO 11640		Light fastness: min. 4 grey scale UNI ISO 105-802		Match flame test: No ignition UNI EN 1021-1-2006 BS EN 1021-1-2006	