Ogi U technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is higly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**. Electrical components and fabric – **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards: PN-EN 527-2:2017-02

Boards density:

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3 , mdd

Ogi desk worktops



Dimensions of radial worktops (mm)







	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.
--	---

Date of preparation 30.11.2021

Ogi U: powder coated steel, profile 60x30 mm, spacer 10 mm between top and frame



Attention - the cable tray located underneath the worktop is only available in: M009 - aluminium semi-matte colour

Desk with managerial storage



- 1. Worktop MFC 28 mm, ABS edge
- 2. Top MFC 28 mm, ABS edge
- **3. Shelf -** MFC 18 mm, protection against accidental falling-out, ABS edge **4. Drawer -** MFC 18 mm, ABS edge, patent lock - possible to change
- location 5. Base - MFC 18 mm, ABS edge
- 6. Front MFC 18 mm, ABS edge

Configuration examples (mm)









.	
Ogi U	pre 30
-	30

Date of The data con eparation Change of the 0.11.2021 doe

The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.

page 4/13 technical description

Configuration examples (mm)





Configuration examples with BOX40, BOX50, BOX60



ATTENTION - only for Ogi Q, Ogi U, Ogi Y, Ogi M

Accessories





- 1. Horizontal cable tray \$69 powder coated, colour: 09 aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) powder coated metal, colour: M009 aluminum semi-matt
- 3. Horizontal cable tray E64 powder coated, colour: M009 aluminium semi-matt
- 4. Cable tray for bench desks (SG220, SG260) steel wire Ø4 mm, powder coated, colour: 09 aluminum

Ogi U	Date of preparation 30.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/13 technical description

Sliding top

mdd

1. Sliding top - shifting range 141 mm



Note - M04, M04H, and M07 mediaboxes cannot be installed.





Ogi U	Date of preparation 30.11.2021
-------	--------------------------------------

Desks *



BOU10 1000 / 600 / 740 26.7 kg



BOU12 1200 / 600 / 740 30.4 kg



BOU14 1400 / 600 / 740 32.9 kg



BOU16 1600 / 600 / 740 36.2 kg



BOU49 1000 / 700 / 740 26.7 kg



BOU28 1200 / 700 / 740 34.4 kg



BOU29 1400 / 700 / 740 61 kg



BOU30 1600 / 700 / 740 61.55 kg



BOU19 1200 / 800 / 740 37 kg



BOU20 1400 / 800 / 740 39.5 kg



BOU21 1600 / 800 / 740 44.55 kg



BOU22 1800 / 800 / 740 48.55 kg



BOU27 2000 / 800 / 740 49.35 kg

Ogi U	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	page 7/13
Ogi O	30.11.2021	does not require consistent updates of the document.	products

Elements for arrangement building - straight desk *



BOX10 1000 / 600 / 740 20.7 kg



BOX30 1000 / 700 / 740 20.7 kg



BOX12

22.7 kg

1200 / 600 / 740

28.4 kg

BOX42

30.8 kg

1200 / 800 / 740



BOX14 1400 / 600 / 740 25.4 kg



BOX16 1600 / 600 / 740 28.9 kg



BOX36 1600 / 700 / 740 33.55 kg



BOX40 500 / 800 / 740 11 kg



BOX34 1400 / 700 / 740

30 kg



BOX43 1400 / 800 / 740 33.3 kg



BOX44 1600 / 800 / 740 38.35 kg



BOX45 1800 / 800 / 740 42.35 kg

Ogi U	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	page 8/13	
Ogi U	30.11.2021	does not require consistent updates of the document.	products	

Radial desks *



BOU23 1600 / 1200 / 740 48.35 kg



BOU15 1600 / 2410 / 740 89.3 kg

Desks with managerial storage *



BOUL20 1600-1702 / 1600 / 740 103.15 kg



BOUL21 1800-1902 / 1600 / 740 107.15 kg

BOU25

1800 / 1200 / 740 51.2 kg



BOU24 1600 / 1200 / 740 47.65 kg



BOU26 1800 / 1200 / 740 50.85 kg



BOUL40 1600-1702 / 3210 / 740 203.1 kg



BOUL41 1800-1902 / 3210 / 740 211.1 kg

Ogi U	Date of preparation 30.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	page 9/13
Ogi O		does not require consistent updates of the document.	products

.mdd

Bench desks *



BOU32 1200 / 1610 / 740 67.3 kg

BOU33 1400 / 1610 / 740 72.3 kg



BOU34 1600 / 1610 / 740 82.4 kg



BOU35 1800 / 1610 / 740 90.4 kg

Elements for arrangement building - bench *



BOX20 1000 / 1210 / 740 36.6 kg



BOX22 1200 / 1210 / 740 40.6 kg



BOX24 1400 / 1210 / 740 46 kg



BOX26 1600 / 1210 / 740 53 kg

Ogi U preparation Change of the product, as long as it does not affect the basic features of it.	page 10/13
Ogi Upreparation 30.11.2021Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	products

Elements for arrangement building - bench *



BOX50 1000 / 1410 / 740 24.05 kg



BOX56 1600 / 1410 / 740 63.9 kg



BOX51 1000 / 1410 / 740 38.2 kg



BOX52 1200 / 1410 / 740 53.6 kg



BOX54 1400 / 1410 / 740 56.8 kg



BOX60 1000 / 1610 / 740 28.75 kg



BOX62 1200 / 1610 / 740 58.35 kg



BOX64 1400 / 1610 / 740 63.35 kg



BOX66 1600 / 1610 / 740 73.45 kg



BOX68 1800 / 1610 / 740 81.45 kg

Desk extenstions *



PLU01 600 / 800 / 740 17.8 kg



PLU02 600 / 1000 / 740 19.8 kg



PLU03 600 / 1200 / 740 22 kg

Ogi U	Date of	ate of The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	
Ogi U	30.11.2021	does not require consistent updates of the document.	products

Power strip *



Ogi U	Date of preparation	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it.	page 12/13
Ogi U	30.11.2021	does not require consistent updates of the document.	products

.mdd

Worktop					Grommet
26 Aluminum satinato					Aluminum
31 Canadian oak *	39 Polar birch *	64 Cocoa *	168 Natural oak *	>	Beige
169 Honey oak*	170 Acacia *				
67 White pastel				>	White
171 Dark walnut*	106 Lowland walnut *	154 Anthracite	08 Black	>	Black
167 Grey oak *					

Frame, mediabox - metal



* body - II group

Ogi U	Date of preparation 30.11.2021
-------	--------------------------------------